



STRENGTH THROUGH SERVICE

REINFORCED POLY

DEBRIS NETTING

VAPOR BARRIER

WOOD CHAMFER

SURFACE PROTECTION



ABOUT US

For 20 years, Con-Dri has been a premier source for vapor barriers, tapes, and reinforced poly. Today, we also offer a full line of debris netting, FR Tarps, wood chamfer, surface protection, and many other construction products. Our team and distribution network allow us to get you what you need, when you need it. As we continue to grow and evolve, our commitment to offering the best products and service in the industry will always be our top priority.

FEATURED PRODUCTS

- DRI-SCRIM – Page 1
- DRI-WRAP – Page 3
- FR TARP – Page 4
- FR PLUS TARP – Page 5
- DEBRIS NETTING – Page 7
- CHAMFER – Page 14
- REVEAL – Page 15
- DRI-BOARD – Page 16

Call 678.904.0038 for product information or visit our website: con-dri.com for quick access to our product data sheets.

INSIDE

REINFORCED POLY

- 1 DRI-SCRIM
- 2 DURA-SKRIM
- 3 DRI-WRAP FR Scaffold Sheeting
- 4 FR Tarp
- 5 FR Plus Tarp
- 6 Woven Poly and Reinforced Poly Accessories, Bungee Cords

DEBRIS NETTING & FENCING

- 7 Debris Netting
- 8 PVC Coated Debris Netting, Privacy Screen
- 9 Barrier Fence

VAPOR BARRIER

- 10 Vapor Block VB10, VB15, Tapes and Accessories
- 11 Vapor Block Plus VB20 Tapes and Accessories
- 12 Scrim Reinforced Liners 20WW, 12WB, 8WB and Tapes

EXPANSION JOINTS

- 13 Curb and Gutter, Foam, Sponge Rubber, Cork

CHAMFER & REVEAL

- 14 Wood Chamfer
- 15 Reveal

SURFACE PROTECTION

- 16 DRI-Board HD Floor Protection
- 17 Carpet Film, Tacky Mats

Featured Product



DRI-SCRIM


DRI-SCRIM is produced using a heavy duty 2.5 x 2.5 scrim with double string reinforcement, which significantly increases tear resistance and useful life. DRI-SCRIM is coated with virgin high density polyethylene (HDPE), making it durable enough to withstand the elements while in use. Given the lightweight, highly tear resistant nature of DRI-SCRIM, it is the preferred product for many applications, including building enclosures, scaffold wrap, abatement, temporary walls, temporary liners, and general jobsite enclosure/containment.

Stock sizes are available in 6 mil thickness in both non-FR and FR. DRI-SCRIM FR meets NFPA 701 Test Method 2 and Boston Fire Marshall BFD IX-1.

SKU	DESCRIPTION	ROLL SIZE	COLOR	PALLET QTY
SRP620100	DRI-SCRIM	20' x 100'	Clear	25
SRP640100	DRI-SCRIM	40' x 100'	Clear	12
SRP6FR20100	DRI-SCRIM FR	20' x 100'	Milky White	25
SRP6FR40100	DRI-SCRIM FR	40' x 100'	Milky White	12




Visit our website: con-dri.com for quick access to our product data sheets.



DURA-SKRIM

DURA-SKRIM 2 and 10HUV consist of two sheets of high-strength polyethylene film laminated together with a third layer of molten polyethylene. A heavy-duty scrim reinforcement placed between these plies greatly enhances tear-resistance and increases service life. DURA-SKRIM’s heavy-duty diamond reinforcement responds to tears immediately by surrounding and stopping the tear. DURA-SKRIM 2 is used for temporary applications that require a lightweight yet highly tear-resistant film such as building enclosures and abatement applications. DURA-SKRIM 10HUV is used in applications that require good outdoor life and demand high puncture and tear strengths. The two outer layers of DURA-SKRIM 10HUV contain high concentrations of UV inhibitors and thermal stabilizers to assure added outdoor life up to approximately one year



FR DURA-SKRIM

DURA-SKRIM 2FR and 10FR consist of two sheets of high strength fire-retardant virgin film laminated together with a third layer of molten polyethylene. A heavy-duty scrim reinforcement placed between these plies greatly enhances tear resistance and increases service life. DURA-SKRIM’s fire-retardant films meet or exceed NFPA’s 701 test, method 2 (Large Scale Requirements). DURA-SKRIM 2FR and 10FR are used in applications that require a fire-retardant material, and demand high puncture and tear strengths.

SKU	DESCRIPTION	ROLL SIZE	COLOR	PALLET QTY
DS2-20X100	DURA-SKRIM 2	20’ X 100’	CLEAR	25
DS10HUV-20100	DURA-SKRIM 10HUV	20’ X 100’	CLEAR	12
DS2FR-20100	DURA-SKRIM 2 FR	20’ X 100’	MILKY WHITE	25
DS10FR-20100	DURA-SKRIM 10 FR	20’ X 100’	MILKY WHITE	12

* Other roll sizes available. Call us today!

Call us at
678.904.0038
with questions
about any item.

Featured Product



DRI-WRAP FR SCAFFOLD SHEETING

DRI-WRAP is a heavy duty 12 mil fire retardant scrim reinforced polyethylene film that is ideal for jobsite enclosure applications. DRI-WRAP’s heavy duty make-up and pre-punched reinforced bands ensure durability and ease of installation. Install DRI-WRAP with Con-Dri’s HD bungee cords and PE tape to create an enclosure that can withstand the harshest conditions.

- Fire Retardant meets NFPA 701 Test Method 2 and Boston Fire Marshal BFD IX-1
- Reinforced bands with pre-punched eyeholes
- 15 cm wide bands on outer hems feature two eyeholes spaced in 4” intervals
- 7.5 cm wide bands in the body feature single eyelets spaced in 4” intervals
- 12 mil
- Tough 2.5 x 2.5 scrim
- UV treated
- Milky white color



Visit our website:
con-dri.com for
quick access to our
product data sheets.



Featured Product



FR TARPS

Con-Dri’s FR Tarps are constructed with high quality 10 X 10 woven polyethylene and loaded with features for added strength, resulting in a great jobsite enclosure solution. FR Tarps meet NFPA 701 Method II and Boston Fire BFD IX-1.

- 10 X 10 Weave
- UV treated
- Rustproof grommets in 3’ intervals
- 2” hemmed edges with double stitching
- Rope in hem
- Sewn in corner
- Easy to handle and securely install
- Helps retain heat in enclosure
- Highly durable, tear resistant
- Fire Retardant

SKU	SIZE	FINISHED/CUT SIZE	CASE QTY
FRT1520	15’ x 20’	CUT	5
FRT2021FS	20’ x 21’	FINISHED	4
FRT2030	20’ x 30’	CUT	2
FRT3040	30’ x 40’	CUT	1

Call us at
678.904.0038
with questions
about any item.



Featured Product

FR PLUS TARPS

FR Plus Tarps, Con-Dri’s premium construction tarp, are specifically designed to create a superior enclosure, even in the harshest conditions. FR Plus Tarps are constructed with a high quality 14 X 14 woven polyethylene. Premium features such as D-rings, grommets, 4” quadruple stitched hems, and extra reinforcement in the corners come standard on FR Plus Tarps. FR Plus Tarps are fire retardant and meet NFPA 701 Method II and Boston Fire BFD IX-1.

- 14 X 14 weave
- UV treated
- Fire Retardant
- 4” quadruple stitched hem with D-Rings
- Rope in hem
- Rustproof grommets
- * Highly durable, tear resistant
- Helps retain heat in enclosure
- Easy to handle and securely install

SKU	SIZE	FINISHED/CUT SIZE	CASE QTY
FRPT1520	15’ x 20’	CUT	3
FRPT2021FS	20’ x 21’	FINISHED	2
FRPT2030	20’ x 30’	CUT	2
FRPT3040	30’ x 40’	CUT	1



Visit our website:
con-dri.com for
quick access to our
product data sheets.




WOVEN POLY “DRI-WEAVE”

DRI-WEAVE is a durable, easy to use woven poly with an 8 X 8 weave pattern. The reinforced design resists tears and punctures. DRI-WEAVE is coated with 100% virgin HDPE on both sides and UV treated, making it durable enough withstand the demands of the jobsite. DRI-WEAVE is commonly used to cover equipment, dirt, temporary enclosures, construction weather wrap, containment or ground covers. DRI-WEAVE may be installed vertically using DRI-CLIPS or fastening directly to a building or structure. DRI-WEAVE is offered in both Fire Retardant and Non-Fire Retardant. Fire Retardant meets NFPA 701 Method 2. Available in 20’ x 100’ rolls.

SKU	DESCRIPTION	ROLL SIZE	MATERIAL WEIGHT	PALLET QTY
WRP20100	Woven Reinforced Poly	20’ x 100’	65 gsm	40
WRPFR20100	FR Woven Reinforced Poly	20’ x 100’	70 gsm	40

REINFORCED POLY ACCESSORIES



VB TAPE – VB Tape combines a heavy duty, weather resistant polyethylene backing with a non-staining, clean removal, rubber adhesive. Typical applications include use as a seaming tape for large panels of polyethylene film for vapor retarder, cover, and liner applications. Available in 4” x 210’ rolls.

PE TAPES – Con-Dri’s polyethylene tape is a 7.5 mil, durable, UV resistant tape with waterproof backing to resist moisture so that it creates a watertight seal. This tape also comes with a serrated edge to help with tearing and can be used in multiple applications such as adhering polyethylene films to windows and doors as well as adhering during stucco applications. Available in Red or White 2” x 180’ or 4” x 180’ rolls.

BUNGEE CORDS – Con-Dri 12” bungee cords feature a pointed tip on one side for piercing through reinforced poly and a hook on the other side for easy and secure fastening. This thoughtful design makes installing Con-Dri’s DRI-SCRIM, DRI-WRAP, FR Tarps, or FR Plus Tarps a breeze. 100 per pack.

DRI-CLIP – These full size clips are 11” long and fit most commercial scaffolding. DRI-CLIP will securely fasten your poly sheeting to scaffolding, reducing wind whip and increasing the life of your enclosure. Clips are normally placed about every 3’ onto the enclosure.



Featured Product


SAFETY DEBRIS NETTING

Safety Debris Netting is our top selling debris netting product. It is versatile with many uses, including high rise construction, scaffolding enclosure, safety fence, industrial plant debris protection, and general job site enclosure. Our Safety Debris netting is produced using UV treated high density polyethylene (HDPE). All Safety Debris Netting features reinforced edges to ensure the netting will remain in place once installed. Safety Debris netting comes in a ¼” mesh pattern, which meets NYC Local Law #61 and OSHA requirements. All Safety Debris Netting is fire retardant and meets NFPA 701 Test Method 2 and Boston Fire Marshall BFD IX-1. With sizes ranging from 4’ x 150’ to 12’ x 150’ and many color options, Con-Dri has the Safety Debris Netting to protect your jobsite.



DEBRIS NETTING

Con-Dri Debris Netting, featuring a 1/16” mesh pattern, is heavier than Safety Debris Netting, and a great option for scaffolding enclosure, privacy screen, wind screen, shade cloth, or any other enclosure application. Debris Netting is made from UV Treated high density polyethylene (HDPE). It features buttonholes along the edges for easy installations. Con-Dri Debris Netting is fire retardant and meets NFPA 701 Test Method 2 and Boston Fire Marshall BFD IX-1. Available in sizes ranging from 8’ x 150’ to 10’ x 150’.





PVC COATED DEBRIS NETTING

Our strongest netting, PVC Coated Debris Netting is produced with PVC coated polyester. PVC Coated Debris Netting features a 1/8" mesh pattern and reinforced edges for easy installation and added durability. All Con-Dri PVC Coated Debris Netting is fire retarded and meets NFPA 701 Test Method 2 and Boston Fire Marshall BFD IX-1. Available in multiple sizes and colors.




PRIVACY SCREEN

Con-Dri's privacy screen is the ideal product to create a visual barrier or windscreen for your jobsite. Privacy screen comes with button holes or grommets along the edges so it can be easily attached to fencing with Con-Dri's cable ties. Made with 100% virgin knitted HDPE mesh. Offers 90% shade cloth and is UV treated. It weighs 130 grams per square meter and is available with button holes or grommets on edges. Available in multiple sizes and colors.




DIAMOND BARRIER FENCE

Con-Dri's Diamond Barrier Fence is a heavy duty, UV treated, high visibility warning fence made of high density polyethylene (HDPE). Diamond Barrier Fence can be installed on wooden stakes, metal rods, traffic cones, or other support structures. The diamond mesh ensures aesthetic appeal while the smooth top prevents the cutting and scraping of adjacent materials during installation. Diamond Barrier Fence can be used in many applications, including construction warning barricade, crowd control, and temporary construction safety fencing to name a few. Diamond Barrier Fence is offered in and orange, 4' x 100', 20 lb roll.



BARRIER FENCE




Con-Dri's Barrier Fence is an economical, UV treated, high visibility warning fence made of high density polyethylene. Barrier Fence can be installed on wooden stakes, metal rods, traffic cones, or other support structures. The oriented grid design of Con-Dri's Barrier Fence makes it one of the lightest, yet strongest products offered in the market today. Barrier Fence can be used in many applications, including construction warning barricade, crowd control, and temporary construction safety fencing to name a few. Barrier Fence is offered in and orange, 4' x 100', 7 lb roll.



CABLE TIES

Con-Dri offer 8", 11", and 14" heavy duty cable ties that are perfect for fastening debris netting and barrier fence to cables, scaffolding, posts, stakes, and many other support structures. All sizes are packaged 100 ties per bag.





VAPORBLOCK® Series

VAPORBLOCK® Series consist of high-performance underslab vapor barriers designed to retard moisture migration through concrete slabs. This product is made from state-of-the-art polyethylene resins that provide superior physical and performance properties that far exceed ASTM E-1745 (Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs) Class A, B and C requirements. High tensile strength, unequaled puncture resistance, ultra-low moisture vapor permeability as well as resistance to decay make VaporBlock one of the most effective underslab vapor barriers on the market today! Available in 10 and 15 mil thicknesses to best meet required performance specifications.


VAPOR BOOT SYSTEM

The VaporBoot System is designed to assist in securing pipe and other penetrations that run vertically through the vapor retarder material. The VaporBoot System offers a quick solution and is delivered to the jobsite in a complete package. VaporBoots are produced from high performance VaporBlock material. 25 VaporBoots per case (18" x 18", w/precut center marker).

VB TAPE

VB Tape combines a heavy duty, weather resistant polyethylene backing with a non-staining, clean removal, rubber adhesive. Typical applications include use as a seaming tape for large panels of polyethylene film for vapor retarder, cover, and liner applications. Available in 4" x 210' rolls.

Call us at **678.904.0038** with questions about any item.



POUR-N-SEAL (not shown)

POUR-N-SEAL is a gray two-part epoxy used to seal around multi-pipe penetrations in areas where pipe boots are not practical, when installing VaporBlock or Absolute Barrier. The POUR-N-SEAL™ system includes 25 lineal feet of a 1" adhesive-backed foam to form a dam around multipipe penetrations to contain POUR-N-SEAL™ during the setting process.

VAPORBLOCK PLUS® Series (VBP20)

VAPORBLOCK® PLUS™ Series consist of seven-layer co-extruded barriers made from state-of-the-art polyethylene and EVOH resins to provide unmatched impact strength as well as superior resistance to gas and moisture transmission. VaporBlock Plus is a highly resilient underslab / vertical wall barrier designed to restrict naturally occurring gases such as radon and/or methane from migrating through the ground and concrete slab. VaporBlock Plus is more than 100 times less permeable than typical high-performance polyethylene vapor retarders against Methane, Radon and other harmful VOCs. VaporBlock Plus is one of the most effective underslab gas barriers in the building industry today, far exceeding ASTM E-1745 (Plastic Water Vapor Retarders Used in Contact with Soil or Granular Fill Under Concrete Slabs) Class A, B and C requirements.

VAPOR SEAL TAPE

VaporSeal Tape is a patent pending single-sided 7-layer gas barrier tape with a release liner for ease of installation. The backing contains a layer of highly impermeable EVOH designed to block migration of radon, methane, and VOC's. An aggressive acrylic adhesive provides outstanding adhesion to polyethylene over a wide temperature range. Typical uses include joining, repairing and sealing gas/moisture barriers. Available in 4" x 160' and 12" x 50' rolls.

BUTYL SEAL TAPE

Butyl seal is a double-sided aggressive reinforced black butyl rubber tape used to join panels of polyethylene and polypropylene together by overlapping the edges and applying Butyl Seal in between. It is also used to adhere to concrete walls and footings when properly prepared. Butyl Seal is non-hardening and flexible. Available in 2" x 50' and 6" x 50' rolls.


VAPOR BOOT PLUS

VaporBoot Plus Preformed Pipe Boots are produced from heavy 40 mil co-extruded polyethylene and barrier resins for excellent strength and durability. The preformed boots are stepped to fit 1" to 4" wide pipe penetrations. VaporBoot Plus Preformed Pipe Boots are available in quantities of 12 per box.




DURA-SKRIM 20WW (20 MIL WHITE/WHITE)

DURA-SKRIM 20WW consists of outer layers of white high-strength virgin polyethylene film laminated together with a black layer of molten polyethylene. Both outer layers contain UV inhibitors and thermal stabilizers to assure long outdoor life. The white layers are designed to reduce heat buildup and condensation, and to provide excellent dimensional stability. A layer of polyester scrim reinforcement placed between these plies greatly enhances tear resistance and increases service life. DURA-SKRIM 20WW is reinforced with a high strength scrim reinforcement laid in a diagonal pattern spaced 3/8" apart for uniform tear resistance in both machine and transverse directions with an additional machine direction scrim every 3" across the width for increased stability.




DURA-SKRIM 12WB (12 MIL WHITE/BLACK)

DURA-SKRIM 12WB consists of two sheets of high-strength polyethylene film laminated together with a third layer of molten polyethylene. The white outer layer contains UV inhibitors and thermal stabilizers and the black outer layer contains carbon black to enhance outdoor life. The white outer surface is also designed to reduce heat buildup and condensation. A heavy-duty scrim reinforcement placed between these plies greatly enhances tear and puncture resistance and increases service life. DURA-SKRIM 12WB is reinforced with a high strength scrim reinforcement laid in a diagonal pattern spaced 3/8" apart for uniform tear resistance in both machine and transverse directions.



DURA-SKRIM 8WB (8 MIL WHITE/BLACK)

DURA-SKRIM® 8WB consists of two sheets of high-strength polyethylene film laminated together with a third layer of molten polyethylene. The white outer layer contains UV inhibitors and thermal stabilizers and the black outer layer contains carbon black to enhance outdoor life. The white outer surface is also designed to reduce heat buildup and condensation. DURA-SKRIM 8WB is reinforced with a high strength scrim reinforcement laid in a diagonal pattern spaced 3/8" apart for uniform tear resistance in both machine and transverse directions.




VB TAPE

VB Tape combines a heavy duty, weather resistant polyethylene backing with a non-staining, clean removal, rubber adhesive. Typical applications include use as a seaming tape for large panels of polyethylene film for vapor retarder, cover, and liner applications. Available in 4" x 210' rolls.

BUTYL SEAL TAPE

Butyl seal is a double-sided aggressive reinforced black butyl rubber tape used to join panels of polyethylene and polypropylene together by overlapping the edges and applying Butyl Seal in between. It is also used to adhere to concrete walls and footings when properly prepared. Butyl Seal is non-hardening and flexible. Available in 2" x 50' and 6" x 50' rolls.



CURB EXPANSION JOINT FILLER

Our curb expansion joints are made from FIBERFLEX expansion joint material. They are custom cut to order and will fit around curbs and gutters. Available thicknesses: 3/8", 1/2", 3/4", 1"

SPONGE RUBBER EXPANSION JOINT

Our sponge rubber is manufactured in the USA with high quality rubber and resin, making it highly durable over time. Available in 60" lengths, widths from 2" to 42", and thickness from 1/8" to 10".

CORK EXPANSION JOINT

Con-Dri's cork expansion joint is produced with high quality granulated cork and bonded together with an insoluble resin. It is a highly resilient natural product that can withstand continuous strain without deteriorating.

NON-CROSSLINK POLYETHYLENE FOAM

Applications: Non-Crosslink polyethylene foam can be used in all standard concrete construction, such as highways, runways, parking garages, driveways, sidewalks and floor slabs.



Visit our website:
con-dri.com for
quick access to our
product data sheets.



Featured Product

WOOD CHAMFER


High-grade wood chamfer can be used in a variety of concrete applications such as vertical / horizontal forming and tilt wall construction. Our chamfer provides smooth, straight lines resulting in exceptional concrete casts. We packaged our chamfer in convenient square bundles for ease of handling and stacking.

FEATURES:


- Split resistant
- Packaged in square bundles for ease of use
- Smooth surface creates straight lines in concrete
- Warp and twist resistant

Custom sizes not shown here are available.
Contact us today.


Call us at **678.904.0038** with questions about any item.




SKU: **CHM50-10**
Bundle Quantity: **1000 LF**



SKU: **CHM75-10**
Bundle Quantity: **1000 LF**




SKU: **CHM100-10**
Bundle Quantity: **500 LF**




SKU: **CHM150-10**
Bundle Quantity: **500 LF**




Featured Product




SKU: **RVL5020075-10**
Bundle Quantity: 200 LF



SKU: **RVL7522575-10**
Bundle Quantity: 200 LF



SKU: **RVL15030075-10**
Bundle Quantity: 200 LF



SKU: **VG15075-10**
Bundle Quantity: 500LF

REVEAL

Con-Dri high-grade wood reveal is used to create architectural designs in concrete structures. Our wood reveal provides smooth, straight lines, resulting in an exceptional concrete cast.

- Split resistant
- Packaged in square bundles
- Smooth surface
- Warp and twist resistant

Contact us today for custom profiles not shown.

Visit our website: **con-dri.com** for quick access to our product data sheets.



Featured Product



DRI-BOARD

DRI-Board is a heavy duty floor protection board specifically designed to provide superior temporary protection for concrete, tile, wood, linoleum, stone, and other floor types. DRI-Board can be used to protect walls, counter tops, cabinets, and many other surfaces. DRI-Board’s liquid resistant properties provide spill protection against paint, mud, water, and more. DRI-Board rolls out flat and is easily seamed together with DRI-Board Tape, making it quick and easy to install on the jobsite. Available in 38” x 100’ rolls.

- Heavy duty
- Resists paint, water, mud, and more
- Easy to handle and install
- Permeable
- 100% recyclable
- Reusable
- Made in USA



DRI-BOARD TAPE

DRI-Board Tape is a 3” x 180’ kraft tape with aggressive adhesive specifically designed to seam DRI-Board. 16 rolls per case.

Call us at **678.904.0038** with questions about any item.

CARPET FILM

Con-Dri’s carpet film is a clear, self-adhering poly film specifically designed to temporarily protect synthetic carpet from dirt, paint, dust, debris, and much more. Carpet film is a great way to protect carpet during moving, remodeling, painting, and just about any other project.

- Tear and puncture resistant
- Non-slip surface
- Reverse-wound for easy application
- Protects carpets for up to 30 days
- Easy to remove
- Recyclable

SKU	SIZE	COLOR	PALLET QTY
CF24200	24” X 200’	CLEAR	81
CF36200	36” X 200’	CLEAR	99
CF36500	36” X 500’	CLEAR	49
CF361000	36” X 1,000’	CLEAR	36




TACKY MATS

Use Con-Dri’s Tacky Mats to remove dirt, dust, and debris from shoes and keep flooring clean. Tacky Mats are constructed of a polyethylene film with sticky surface, making them ideal for containment entryways and doormats. Each Tacky Mat comes with 30 tabbed layers designed to be easily peeled off when it’s time for a fresh layer.

- Tacky surface on each layer
- Tabbed layers for easy removal
- Keeps floors clean
- Helps prevent damage to floors
- Easy to use
- Recyclable

SKU	SIZE	COLOR	CASE QTY
TM2436-B	24” X 36”	BLUE	30 LAYERS/MAT (4 MATS/CASE)
TM2436-W	24” X 36”	WHITE	
TM3636-B	36” X 36”	BLUE	



Visit our website: **con-dri.com** for quick access to our product data sheets.



STRENGTH THROUGH SERVICE

CON-DRI.COM | 678.904.0038

ATLANTA • CHARLOTTE • NEW YORK • CHICAGO • KANSAS CITY